9000163

THE CONTRES OF THE STANTES OF

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Northrup King Co.

Colhereus, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-YEARS FROM THE DATE OF THIS GRANT, SUBJECT CANT(S) FOR THE TERM OF eighteen TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT Y THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S20-20'

In Lestimony Wanexcot, I have hereunto set my hand and caused the seal of the EXXXI Variety Protection Office to be affixed at the City of Washington, D.C. this 31st day of January the year of our Lord one thousand nine hundred and ninety-two.

Hward Madigin

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

U.S. DEPARTMENT OF AGRICULTURAL MARI	Application is required in order to		
APPLICATION FOR PLANT VARIE		N CERTIFICATE	determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held contidential until certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.	3. VARIETY NAME
Northrup King Co.		X9020, W410836	S20-20
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)	***	5. PHONE (include area code)	FOR OFFICIAL USE ONLY
P. O. Box 959			PVPO NUMBER
Minneapolis, MN 55440		612-593-7333	9000163
			F Date 1 May 4, 1990
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Botan	ical)	Time
Glycine max	Leguminosae		N
8 CROP KIND NAME (Common Name)	9.	DATE OF DETERMINATION	F Filing and Examination Fee:
Soybean		September, 1988	E s 2150.
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORG	ANIZATION (Corporation, par	-	S Date May 4, 1990
Corporation			E Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	· · · · · · · · · · · · · · · · · · ·	ATE OF INCORPORATION	£ \$ 250.
Delaware			1 [
		1976	E Jan. 9, 1991
ROBERT W. ROMIG Northrup King Co. P. O. Box 959 Minneapolis, MN 55440 14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (F. a. X. Exhibit A, Origin and Breeding History of the Variety b. X. Exhibit B, Novelty Statement. c. X. Exhibit C, Objective Description of Variety d. X. Exhibit D, Additional Description of Variety e. X. Exhibit E, Statement of the Basis of Applicant's Owners of the Seed Sample (2,500 viable untreated seeds). Date Seed g. X. Filing and Examination Fee (\$2,150) made payable to DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SPROTECTION Act.) 16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED A NUMBER OF GENERATIONS? YES X. NO	ship. ed Sample mailed to Plant "Treasurer of the United S SOLD BY VARIETY NAME ONL below) X NO (II " FOI	PHONE (Include area codinse) Variety Protection Office	CTION BEYOND BREEDER SEED?
YES (II "YES," through Plant Variety Protection Act NO	Patent Act Give da		
19 HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR X YES (II "YES," give names of countries and dates) Cana NO	ada, 1990	OTHER COUNTRIES!	
20 The applicant(s) declare(s) that a viable sample of basic request in accordance with such regulations as may be ap The undersigned applicant(s) is (are) the owner(s) of th uniform, and stable as required in section 41, and is entit Applicant(s) is (are) informed that false representation be	plicable. is sexually reproduced led to protection under t	novel plant variety, and believe he provisions of section 42 of the F	(s) that the variety is distinct,
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR	TITLE	DATE
Jober W. Horney	Vice Pr	ESIDENT RÉSEARCH	MAY 2, 1990
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR	TITLE	DATE

EXHIBIT A

Origin and Breeding History of the Variety

The soybean variety 'S20-20' is derived from the cross 'B152' \times 'CM497' which was made in 1981 by the Northrup King soybean breeding staff at Washington, Iowa. The F1 and F2 generations were grown at the Northrup King Research Center near Waimea, Kauai, Hawaii in the winter of 1981-82. The F3 generation was grown in the field at Washington in 1982; the F4 at Waimea in the winter of The F2-F4 generations were advanced by harvesting 2-4 pods from each plant. The F5 generation was planted at Washington in May 1983. Cotyledons were removed from approximately 70 plants at the second trifoliolate growth stage and inoculated with Race 3 of <u>Phytophthora</u> <u>megasperma</u>. Twenty-six plants which tested resistant were harvested and threshed individually. The progeny from these plants were grown in F6 progeny rows in 1984. these, numbered W410836, was selected based on agronomic appearance to be tested in a preliminary yield trial in 1985. This line was subsequently named S20-20. It has been tested at several midwest U.S. and Southern Ontario locations from 1986 to 1989 and found to yield well in comparison to other early Group II cultivars. Descriptive traits including purple flowers, grey pubescence, brown pods, and yellow hilum have been identified and confirmed. variety was tested from 1986 to 1989 for reaction to irondeficiency chlorosis on calcareous soil near Harcourt in North Central Iowa and found to be moderately resistant. The presence of the Rps 1-c gene for Phytophthora resistance was confirmed using hypocotyl inoculation of seedling plants in the greenhouse.

In the winter of 1987-88, 300 seeds were planted at Waimea. At harvest, 96 plants were threshed individually and their progeny planted at Washington in 1988 to monitor variety variability and to produce Pedigree Seed. A few off-type plants, assumed to have come from outcrosses or mixtures, and two rows with marginally shorter plant height, were removed. The remaining rows were uniform so they were bulked to produce Pedigree Seed. This seed was planted in 1989 to produce Breeder Seed. The increase block was rogued intensively at flowering and prior to harvest.

S20-20 is a stable and uniform variety except that it may contain up to 2% seed with hilum color other than yellow. In six years of testing and two cycles of seed increase, no variants other than environmental variation normally encountered in any soybean variety have been observed.

Varietal purity will be maintained by use of progeny rows as needed.

EXHIBIT B

Novelty Statement For the Variety

Soybean variety \$20-20 is most similar to \$23-12. It can be differentiated from \$23-12 on the basis of reaction to Races 1, 2, 3, and 7 of Phytophthora megasperma. \$20-20 is resistant, \$23-12 is susceptible.

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Northrup King Co.	X9020	S20-20
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cooper. O. Box 959 Minneapolis, MN 55440 Attention: R. W. Romig	de)	FOR OFFICIAL USE ONLY PVPO NUMBER 900163
Choose the appropriate response which characterizes the va- in your answer is fewer than the number of boxes provided,		
1. SEED SHAPE: 2 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	T 2 = Spherical Flattened	(L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		: .
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	oy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 6 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
2 1 = Buff 2 = Yellow 3 = Brown May contain up to 2% other hilum	4 = Gray 5 = Imperfect Bia color.	ck 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High	·	
8. SEED PROTEIN ELECTROPHORETIC BAND:		
2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green wit 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';		Woodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

FORM LMGS-470-57 (2-82)

11.	LEAF	LET SIZE:		
			2 - 10-10-10-10-170	
	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
*				
12.	LEAF	COLOR:		
٠.		1 = Light Green ('Weber'; 'York')	2 = Medium Green ('Corsoy 79'; 'Braxtor	n')
•	$\lfloor 2 \rfloor$	3 = Dark Green ('Gnome'; 'Tracy')		
				
13,	FLOW	ER COLOR:		
	2	1 = White 2 = Purple	3 = White with purple throat	
14,	POD C	OLOR:		
. • . • •	2	1 = Tan 2 = Brown	3 = Black	
	B	DUPENELOS ON OR		
15.	PLANI	PUBESCENCE COLOR:		
	1	1 = Gray 2 = Brown (Tawny)	internation of the property of the second of	
16	PLANT	TYPES:	<u> </u>	
10.				
	2	1 = Siender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	
	٠.			· · · · · · · · · · · · · · · · · · ·
17.	PLANT	HABIT:		
	3	1 = Determinate ('Gnome'; 'Braxton')	2 = Semi-Determinate ('Will')	
	لتا	3 = Indeterminate ('Nebsoy'; 'Improved Pel	lican')	* A
18.	MA I UI	RITY GROUP:		
	5	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII	4 = I 5 = II 6 = III 12 = IX 13 = X	7 = IV 8 = V
:	· · · · · · · · · · · · · · · · · · ·			
19.	DISEAS	E REACTION: (Enter 0 = Not Tested; 1 = 5	Susceptible; 2 = Resistant)	
	BACT	ERIAL DISEASES:		6 January 190
				Z ZMA ACCU
	\vdash	Bacterial Pustule (Xanthomonas phaseoli va	r. sojensis)	-
4.		Bacterial Blight (Pseudomonas glycinea)		MAY 4 - 1990 > =
		Wildfire (Pseudomonas tabaci)		Variety &
	FUNGA	L DISEASES:		Sie Sie
		Brown Spot (Septoria glycines)		GILLE
	لتا			
		Frogeye Leaf Spot (Cercospora sojina)	<u></u>	
٠		Race 1 Race 2 Ra	ce 3 Race 4 Race 5	Other (Specify)
		Target Spot (Corynespora cassiicola)		**************************************
		Downy Mildew (Peronospora trifoliorum va	r. manshurica)	
	\dashv	Powdery Mildew (Microsphaera diffusa)		
	H			
	ᆜ	Brown Stem Rot (Cephalosporium gregatum		
		Stem Canker (Diaporthe phaseolorum var. ca	oulivora)	5

19. DISEASE REACTION:	: {Enter 0 = Not Tested; 1 = Susceptible; 2 = R	esistant) (Continued)	•	
FUNGAL DISEASES	S: (Continued)			•
Pod and Stem	Blight (Diaporthe phaseolorum var; sojae)			
1 Purple Seed S	tain (Cercospora kikuchii)			
Rhizoctonia F	Root Rot (Rhizoctonia solani)			
Phytophthora	Rot (Phytophthora megasperma var. sojae)			
2 Race 1	2 Race 2 2 Race 3 1	Race 4 1 Race 5	2 Race 6 2	Race 7
2 Race 8	2 Race 9 Other (Specify)			
VIRAL DISEASES:				
Bud Blight (To	obacco Ringspot Virus)			
	: (Bean Yellow Mosaic Virus)			,
	ic (Cowpea Chlorotic Virus)			•
	ean Pod Mottle Virus)	·		
Seed Mottle (S	Soybean Mosaic Virus)			
NEMATODE DISEA	SES:			
Soybean Cyst	Nematode (Heterodera glycines)			
Race 1	Race 2 Race 3	Race 4 Other (Sp	pecify)	
Lance Nemato	de (Hoplolaimus Colombus)			
Southern Roo	t Knot Nematode (Meloidogyne incognita)	•		
Northern Roo	t Knot Nematode (Meloidogyne Hapla)			
Peanut Root k	Knot Nematode (Meloidogyne arenaria)			
Reniform Nen	natode (Rotylenchulus reniformis)			
OTHER DISE	ASE NOT ON FORM (Specify):			
20. PHYSIOLOGICAL RES	SPONSES: (Enter 0 = Not Tested; 1 = Susception	ble; 2 = Resistant)		
2 Iron Chlorosis	on Calcareous Soil Moderately Re	sistant		
Other (Specify	·)			* .
21. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Res	istant)		
Mexican Bean	Beetle (Epilachna varivestis)			
	opper (Empoasca fabae)		e e e e	
	/	en e	·	
				· · · · · · · · · · · · · · · · · · ·
	RIETY MOST CLOSELY RESEMBLES THAT			
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VAF	RIE I Y
Plant Shape	S27-10	Seed Coat Luster	Hack	
Leaf Shape	S20-26	Seed Size	B152	
Leaf Color Leaf Size	B152	Seed Shape Seedling Pigmentation	B152	<u> </u>
	Hack			Ya soo i

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY S20-20	NO. OF PLANT LODGING MATURITY SCORE	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.	
		SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEEDS	SEEDS/ POD
Submitted -	122	1.8	80	4.9	8.9	36.5	23.6	15.6	2-3
Hack Name of Similar Variety	127	1.7	77	5.1	8.9	36.3	22.4	15.6	2-3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.




EXHIBIT D

Additional Description of the Variety

Soybean variety \$20-20 is a very early Maturity Group II cultivar maturing between Hardin and Elgin 87. It exhibits long hypocotyl extension when planted in sand at 12 cm depth at 25° C.

EXHIBIT E

Statement of the Basis of Applicant's Ownership

Soybean variety S20-20 was developed by the Northrup King Co. soybean breeding staff from germplasm sources cited in Exhibit A of this application. Northrup King Co. believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that Northrup King Co. is the sole owner of the variety.